

MODULAR DOOR SYSTEM

■ ISO 4190-1 Class 1

MDS1



MODULAR DOOR SYSTEM

■ ISO 4190-1 Class 1

MDS1

MDS1 is an automatic door designed for new general purpose lifts assembled in residential buildings according to ISO 4190-1 (Class 1).


THE QUICKEST AND EASIEST INSTALLATION IN THE MARKET

- All components are packaged according to their assembly sequence. Fixing accessories for each component are available in separate bags.
- Fail-safe installation by product design: pre-mounted sill group, quick referencing solutions built in the frames. No tools required for installation of side brackets.
- Operators and mechanisms tested and pre-adjusted.
- Identical panel design for fast and slow panels, right and left opening, central and side opening: no possible mistakes when mounting the panels.
- Designed to reduce adjustments to an absolute minimum.
- Even faster assembly time for the landing door (max. 48 min.) and for the car door (max. 60 min.) with 1 installer, including unpacking and adjustments.



SIMPLIFIED MAINTENANCE

Reduced number of components; same spare parts for landing and car door cataphoresis treatment on mechanism and operator for rust resistance; MDS1 uses the same ECO+ drive as all Wittur doors.



REDUCED ENERGY CONSUMPTION

The new ECO+ brushless door drive is designed for low power consumption during operation (Average: 11 W) and standby (2,5W). Ready for 0-Watt standby mode without learning cycle. All electronic components are RoHS compliant (2002/95/EC Directive).



REDUCED NOISE LEVEL

Special roller material and new coupler design allow an average noise level of 50 dB**. The door drive can be set to "low noise" operational mode during the night.

** Lab tested in anechoic chamber with complete C.O. 800 centre and side-opening car and landing doors.



COMPACT DESIGN AND COMPATIBILITY

A total package depth of 105 mm/185 mm, an operator height equal to CH+345 mm and a mechanism height of CH+170 mm make it easy to fit MDS1 into tight spaces. Fixed sill depth for the entire MDS range.









MODULAR DOOR SYSTEM

■ ISO 4190-1 Class 1

MDS1

PRODUCTION RANGE

Landing Doors				
Sill depth (mm)	Type	Illustration	Clear Opening (mm)*	Height (mm)
40	01/C		700	2000
80	11/R		800	
			900	
80	11/L		1000	2100
			1100	2200
			1200	

Car doors				
Sill depth (mm)	Type	Illustration	Clear Opening (mm)*	Height (mm)
40	02/C		700	2000
80	12/R		800	
			900	
80	12/L		1000	2100
			1100	2200
			1200	

* Intermediate C.O. available in steps of 50 mm



DURABLE AND RELIABLE

MDS is already prepared for the upcoming EN 81.1/2 A3 norms. MDS 1 Product lifetime is more than 1.5 million cycles for landing doors and in excess of 3 million cycles for car doors.



HIGHER SAFETY IS NOW A STANDARD

All MDS1 doors are fire certified according to EN81-58 E120.



OPTIMIZED PACKAGING

All components for one door are housed in a flat recyclable cardboard package with reduced volume, weight and footprint, which is easy to carry to the installation site. The new package offers up to 40% reduction of volume per packaged door compared to other doors of the same market segment.

WIDE RANGE OF FINISHING AVAILABLE FOR A COMMODITY DOOR

MDS1 is available in a variety of finishes including prime finish, RAL painted, stainless steel cladding.





YOUR GLOBAL PARTNER FOR COMPONENTS, MODULES AND SYSTEMS IN THE ELEVATOR INDUSTRY

Albania
Algeria
Argentina
Australia
Austria
Azerbaijan
Belarus
Belgium
Brazil
Bulgaria
China
Colombia
Croatia
Cuba
Czech Republic
Denmark
Egypt
Estonia
Finland
France
Georgia
Germany
Hong Kong
Hungary
Iceland
India
Indonesia
Iran
Iraq
Israel
Italy
Japan
Kazakhstan



Latvia
Lebanon
Liechtenstein
Lithuania
Malaysia
Mexico
Moldova
Morocco
Netherlands
Norway
Poland
Portugal
Romania
Russia
Saudi Arabia
Serbia
Singapore
Slovakia
Slovenia
South Africa
South Korea
Spain
Sweden
Switzerland
Taiwan
Tajikistan
Turkey
Turkmenistan
Ukraine
United Kingdom
USA
Uzbekistan
Vietnam

safety **in** *motion*™

www.wittur.com

More information
about Wittur Group
available on-line.

